transthyretin amyloidosis

Transthyretin amyloidosis is a slowly progressive condition characterized by the buildup of abnormal deposits of a protein called amyloid (amyloidosis) in the body's organs and tissues. These protein deposits most frequently occur in the peripheral nervous system, which is made up of nerves connecting the brain and spinal cord to muscles and sensory cells that detect sensations such as touch, pain, heat, and sound. Protein deposits in these nerves result in a loss of sensation in the extremities (peripheral neuropathy). The autonomic nervous system, which controls involuntary body functions such as blood pressure, heart rate, and digestion, may also be affected by amyloidosis. In some cases, the brain and spinal cord (central nervous system) are affected. Other areas of amyloidosis include the heart, kidneys, eyes, and gastrointestinal tract. The age at which symptoms begin to develop varies widely among individuals with this condition, and is typically between ages 20 and 70.

There are three major forms of transthyretin amyloidosis, which are distinguished by their symptoms and the body systems they affect.

The neuropathic form of transthyretin amyloidosis primarily affects the peripheral and autonomic nervous systems, resulting in peripheral neuropathy and difficulty controlling bodily functions. Impairments in bodily functions can include sexual impotence, diarrhea, constipation, problems with urination, and a sharp drop in blood pressure upon standing (orthostatic hypotension). Some people experience heart and kidney problems as well. Various eye problems may occur, such as cloudiness of the clear gel that fills the eyeball (vitreous opacity), dry eyes, increased pressure in the eyes (glaucoma), or pupils with an irregular or "scalloped" appearance. Some people with this form of transthyretin amyloidosis develop carpal tunnel syndrome, which is characterized by numbness, tingling, and weakness in the hands and fingers.

The leptomeningeal form of transthyretin amyloidosis primarily affects the central nervous system. In people with this form, amyloidosis occurs in the leptomeninges, which are two thin layers of tissue that cover the brain and spinal cord. A buildup of protein in this tissue can cause stroke and bleeding in the brain, an accumulation of fluid in the brain (hydrocephalus), difficulty coordinating movements (ataxia), muscle stiffness and weakness (spastic paralysis), seizures, and loss of intellectual function (dementia). Eye problems similar to those in the neuropathic form may also occur. When people with leptomeningeal transthyretin amyloidosis have associated eye problems, they are said to have the oculoleptomeningeal form.

The cardiac form of transthyretin amyloidosis affects the heart. People with cardiac amyloidosis may have an abnormal heartbeat (arrhythmia), an enlarged heart (cardiomegaly), or orthostatic hypertension. These abnormalities can lead to

progressive heart failure and death. Occasionally, people with the cardiac form of transthyretin amyloidosis have mild peripheral neuropathy.

Frequency

The exact incidence of transthyretin amyloidosis is unknown. In northern Portugal, the incidence of this condition is thought to be one in 538 people. Transthyretin amyloidosis is less common among Americans of European descent, where it is estimated to affect one in 100,000 people. The cardiac form of transthyretin amyloidosis is more common among people with African ancestry. It is estimated that this form affects between 3 percent and 3.9 percent of African Americans and approximately 5 percent of people in some areas of West Africa.

Genetic Changes

Mutations in the *TTR* gene cause transthyretin amyloidosis. The *TTR* gene provides instructions for producing a protein called transthyretin. Transthyretin transports vitamin A (retinol) and a hormone called thyroxine throughout the body. To transport retinol and thyroxine, four transthyretin proteins must be attached (bound) to each other to form a four-protein unit (tetramer). Transthyretin is produced primarily in the liver. A small amount of this protein is produced in an area of the brain called the choroid plexus and in the light-sensitive tissue that lines the back of the eye (the retina).

TTR gene mutations are thought to alter the structure of transthyretin, impairing its ability to bind to other transthyretin proteins and altering its normal function.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

In most cases, an affected person inherits the mutation from one affected parent. Rarely, cases result from new mutations in the gene and occur in people with no history of the disorder in their family. Not all people who have a *TTR* gene mutation will develop transthyretin amyloidosis.

Other Names for This Condition

- Portuguese polyneuritic amyloidosis
- Portuguese type familial amyloid neuropathy
- Swiss type amyloid polyneuropathy
- type I familial amyloid polyneuropathy
- type II familial amyloid polyneuropathy

Diagnosis & Management

Genetic Testing

 Genetic Testing Registry: Amyloidogenic transthyretin amyloidosis https://www.ncbi.nlm.nih.gov/gtr/conditions/C2751492/

Other Diagnosis and Management Resources

- Boston University: Amyloid Treatment & Research Program http://www.bu.edu/amyloid/
- GeneReview: Familial Transthyretin Amyloidosis https://www.ncbi.nlm.nih.gov/books/NBK1194
- MedlinePlus Encyclopedia: Autonomic neuropathy https://medlineplus.gov/ency/article/000776.htm
- National Organization for Rare Disorders (NORD) Physician's Guide http://nordphysicianguides.org/wp-content/uploads/2012/02/Amyloidosis_10_22.pdf

General Information from MedlinePlus

- Diagnostic Tests
 https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

Additional Information & Resources

MedlinePlus

- Encyclopedia: Autonomic neuropathy https://medlineplus.gov/ency/article/000776.htm
- Health Topic: Amyloidosis https://medlineplus.gov/amyloidosis.html
- Health Topic: Arrhythmia https://medlineplus.gov/arrhythmia.html
- Health Topic: Autonomic Nervous System Disorders https://medlineplus.gov/autonomicnervoussystemdisorders.html

- Health Topic: Eye Diseases https://medlineplus.gov/eyediseases.html
- Health Topic: Peripheral Nerve Disorders
 https://medlineplus.gov/peripheralnervedisorders.html

Genetic and Rare Diseases Information Center

- Familial transthyretin amyloidosis https://rarediseases.info.nih.gov/diseases/656/familial-transthyretin-amyloidosis
- Hereditary amyloidosis https://rarediseases.info.nih.gov/diseases/6611/hereditary-amyloidosis

Additional NIH Resources

 National Institute of Neurological Disorders and Stroke: Orthostatic Hypotension Information Page https://www.ninds.nih.gov/Disorders/All-Disorders/Orthostatic-hypotension-Information-Page

Educational Resources

- Merck Manual Home Edition for Patients and Caregivers: Amyloidosis http://www.merckmanuals.com/home/hormonal-and-metabolic-disorders/amyloidosis/amyloidosis
- Neuromuscular Disease Center, Washington University http://neuromuscular.wustl.edu/nother/amyloid.htm#transthyretin
- Orphanet: ATTRV30M amyloidosis http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=85447

Patient Support and Advocacy Resources

- Amyloidosis Foundation http://www.amyloidosis.org/
- Amyloidosis Support Groups http://www.amyloidosissupport.org/
- CLIMB: Children Living with Inherited Metabolic Diseases http://www.climb.org.uk/
- Family Caregiver Alliance https://www.caregiver.org/
- National Organization for Rare Disorders (NORD): Amyloidosis https://rarediseases.org/rare-diseases/amyloidosis/
- The Foundation for Peripheral Neuropathy https://www.foundationforpn.org/

GeneReviews

 Familial Transthyretin Amyloidosis https://www.ncbi.nlm.nih.gov/books/NBK1194

ClinicalTrials.gov

ClinicalTrials.gov
 https://clinicaltrials.gov/ct2/results?cond=%22transthyretin+amyloidosis%22

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28transthyretin+amyloidosis %5BTIAB%5D%29+OR+%28familial+amyloid+polyneuropathy%5BTIAB%5D %29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last +1440+days%22%5Bdp%5D

Sources for This Summary

- Ando Y, Nakamura M, Araki S. Transthyretin-related familial amyloidotic polyneuropathy. Arch Neurol. 2005 Jul;62(7):1057-62. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/16009758
- Benson MD, Kincaid JC. The molecular biology and clinical features of amyloid neuropathy. Muscle Nerve. 2007 Oct;36(4):411-23. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17554795
- Hou X, Aguilar MI, Small DH. Transthyretin and familial amyloidotic polyneuropathy. Recent progress in understanding the molecular mechanism of neurodegeneration. FEBS J. 2007 Apr; 274(7):1637-50. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17381508
- João Saraiva M, Mendes Sousa M, Cardoso I, Fernandes R. Familial amyloidotic polyneuropathy: protein aggregation in the peripheral nervous system. J Mol Neurosci. 2004;23(1-2):35-40. Review. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15126690
- Planté-Bordeneuve V, Said G. Transthyretin related familial amyloid polyneuropathy. Curr Opin Neurol. 2000 Oct;13(5):569-73. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/11073365
- Saraiva MJ. Hereditary transthyretin amyloidosis: molecular basis and therapeutical strategies.
 Expert Rev Mol Med. 2002 May 14;4(12):1-11. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/14987380

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/transthyretin-amyloidosis

Reviewed: January 2009 Published: March 21, 2017 Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services